| POPULATION ESTIMATE | S | LONG-TERM CARE | | LOCAL HEALTH DEPART | MENTS Per |
|--|----------------------------|--|----------------------------|---|-------------------------|
| Total 2004 Population 161,470 Population per square mile 368 | | Community Options and MA Wa as HSRS reports costs for s | services | Staffing - FTE Number Total staff 42.0 | 10,000 Population |
| County ranking in state (| 1-72) 8 | Clients COP 30 MA Waiver * | Costs \$722,251 | Administrative 3.4 Public health nurses 17.7 | 0.2 1.2 |
| Age Female Male 0-14 14,440 15,120 15-19 6,140 6,010 | Total 29,550 12,150 | MA Waiver * CIP1A 34 3 | \$2,758,383 | Total staff 42.0 Administrative 3.4 Public health nurses 17.7 Other prof. staff 9.6 Technical/Paraprof. 5.3 Support staff 6.0 | 0.7 0.4 |
| 20-24 7,190 7,520 25-29 5,040 5,810 | 14,710 10,860 | CIP1B | \$1,640,479 \$3.172.002 | | |
| 30-34 4,800 5,430 35-39 5,540 6,000 | 10,230 11,540 | CIPIA 34 S CIP1B 336 \$ CIP2 103 S COP-W 303 S CLTS 52 S Brain Injury 8 Total COP/Wvrs 866 \$2 | \$1,151,060 \$370,005 | Funding Total \$2,726,034 Local Taxes \$1,429,323 | \$18.79 \$9.85 |
| 40-44 6,590 6,890 45-54 11,620 12,090 55-64 7,670 7,490 | 13,480 23,710 15,150 | Total COP/Wvrs | | LICENSED ESTABLISHM | ENTS |
| 65-74 5,200 4,520 75-84 4,220 2,880 | 9,720 7,100 | were páid as local match/d using COP funds. This amo | overmatch ount is | Type Capacity Bed & Breakfast 10 Camps 1,069 Hotels, Motels 1,923 Tourist Rooming 16 Pools | Facilities 4 |
| 85+ 2,330 950 Total 80,760 80,710 | 3,280 161,470 | not included in above COP * Waiver costs reported he | | Camps 1,069 Hotels, Motels 1,923 Tourist Pooming 16 | 17 36 |
| Age Female Male 0-17 18,050 18,680 | Total 36,720 | include federal funding. | | Restaurants | 718 |
| 18-44 31,690 34,100 45-64 19,290 19,580 65+ 11,750 8,350 | 65,800 38,860 | Clients Eligible and Waiting 250 | Costs | Vending | 18 |
| 65+ 11,750 8,350 Total 80,760 80,710 | 20,100 161,470 | | | WIC PARTICIPANTS | |
| Poverty Estimates for 2000 Estimate (| (C.I.+/-) | | , | | Number |
| All ages 10,479 6.7% Ages 0-17 2,632 7.0% | 495 (5%) 218 | Note: Eligible and waiting will be phased into the (Waivers as available. | clients COP and MA | Pregnant/Postpartum Infants Children, age 1-4 | 1,236 1,269 1,746 |
| | | | | Total | 4,251 |
| Average wage for jobs covered by unemployment compensation | ł | Home Health Agencies Patients Patients per 10,000 pop. | 5 1,554 | CANCER INCIDENCE (2 Primary Site Breast | 119 |
| (place of work) Labor Force Estimates | Annual | Patients per 10,000 pop. | 96 | Cervical Colorectal | 5 86 |
| Civilian Labor Force | 92.788 | Licensed beds Occupancy rate | 695 83.7% | Lung and Bronchus Prostate Other sites | 103 116 357 |
| Number employed Number unemployed | 88,585 4,203 | Nursing Homes Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population | 581 | Total | 786 |
| Unemployment rate | 4.5% | per 1,000 population | 45 | Note: Totals shown are for invasive cancers only. | |

| | | | | | LITY | | | | | |
|-------------------------|-----------------|------------|-------------|--------------|-----------|----------|------------------|------------|---------------|----------|
| TOTAL LIVE BIRTHS | | 1,839 | | | Births | Percent | Marital | | | _ |
| | | | First | | 752 | 41 | of Moth | | Births | Percent |
| Crude Live Birth Rate | | 11.4 | Secon | d | 640 | 35 | Marrie | | 1,351 | 73 |
| General Fertility Rat | :e | 52.1 | Third | | 284 | 15 | Not ma | rried | 488 | 27 |
| • | | | Fourtl | n or higher | 163 | 9 | Unknow | า | 0 | 0 |
| ive births with repo | orted | | Unknov | | 0 | 0 | | | | |
| congenital anomalies | | 37 2.0% | | | _ | _ | Education | on | | |
| 20.1g0.1_10_ 0.1100=200 | _ | | | | | | of Moth | | Births | Percent |
| Delivery Type | Rinths | Percent | 1st Pre | natal Visit | Births | Percent | | tary or le | | 2 |
| Vaginal after | D11 (110 | | | rimester | 1,561 | 85 | | igh school | | 9 |
| previous cesarean | 25 | 1 | | rimester | 216 | 12 | High s | | 606 | 33 |
| Forceps | 23 | i | | rimester | 34 | 2 | Some co | | 432 | 23 |
| Other vaginal | 1,400 | 76 | No vi | | 25 | 1 | | | | 32 |
| | | | | | 25 3 | <.5 | College graduate | | 14 | |
| Primary cesarean | 234 | 13 | Unkno | VII | 3 | <.5 | Unknow | 1 | 14 | 1 |
| Repeat cesarean | 157 | 9 | December | 1 //: -: + - | Dintho | Dancont | Cmalcina | C+ a+a | | |
| | Dintho | Danaant | | l Visits | Births | Percent | Smoking | Status | Dintha | Danaant |
| Birthweight | | Percent | No vi | SILS | 25 | 1 | of Moth | | Births | Percent |
| <1,500 gm | 21 | <u>1.1</u> | 1-4 | | 27 | 1 | Smoker | | 290 | 16 |
| 1,500-2,499 gm | 105 | 5.7 | 5-9 | | 303 | 16 | Nonsmol | | 1,544 | 84 |
| 2,500+ gm | 1,713 | 93.1 | 10-12 | | 831 | 45 | Unknow | า | 5 | <.5 |
| Unknown | 0 | 0 | 13+ | | 645 | 35 | | | | |
| | | | Unkno | vn | 8 | <.5 | | | | |
| | | | Low Birtl | nweight | | Trimest | er of Fir | st Prenata | l Visit | |
| | | | (under 2 | ,500 gm) | 1st Tr | imester | 2nd Tr | imester | Other/ | Unknown |
| Race/Ethnicity | Births F | ercent | `Births I | Percent' | Births | Percent | Births | Percent | Births | Percent |
| White | 1,650 | 90 | 111 | 6.7 | 1,440 | 87 | 163 | 10 | 47 | 3 |
| Black/Afr.American | [′] 13 | 1 | 1 | 7.7 | ´ 8 | 62 | 3 | 23 | 2 | 15 |
| American Indian | 17 | 1 | 1 | 5.9 | 12 | 71 | 3 | 18 | 2 | 12 |
| Hispanic/Latino | 84 | 5 | 5 | 6.0 | 63 | 75 | 17 | 20 | 4 | 5 |
| Laotian/Hmong | 52 | 3 | 6 | 11.5 | 23 | 44 | 24 | 46 | 5 | 10 |
| Other/Unknown | 23 | Ĭ | 2 | 8.7 | 15 | 65 | 6 | 26 | 2 | 9 |
| | | | Low Birtl | | | Tnimoct | on of Fin | st Prenata | | |
| | E | rtility | (under 2 | | 1st Tr | | | imester | | Unknown |
| age of Mother | Births | Rate | Births I | | | Percent | | Percent | | Percent |
| (ge of wother < 15 | 1 | nate | PTI, CIIS I | - el Cellt | PTI, CII2 | FELCENT | PTI, CII2 | FELCENT | * DTI (112 | FEICEIIL |
| 15-17 | 28 | 8 | 2 | 7.1 | 16 | 57 | 10 | 36 | 2 | 7 |
| | ∠8 108 | 43 | 10 | 7.1 9.3 | 69 | 57 64 | 34 | 30 31 | 5 | |
| 18-19 | | | | | | | | | _ | 5 |
| 20-24 | 446 | 62 | 32 | 7.2 | 359 | 80 | 66 | 15 | 21 | 5 |
| 25-29 | 528 | 105 | 34 | 6.4 | 465 | 88 | 46 | 9 | 17 | 3 |
| 30-34 | 476 | 99 | 33 | 6.9 | 432 | 91 | 34 | 7 | 10 | 2 |
| 35-39 | 222 | 40 | 13 | 5.9 | 196 | 88 | 19 | 9 | 7 | 3 |
| 40+ | 30 | 5 | 1 | 3.3 | 24 | 80 | 6 | 20 | • | • |
| Unknown | 0 | | | • | • | | | • | • | |
| eenage Births | | 22 | | * Data not | | | | | | |

| MORBIDITY | | | MO | RTALITY | | | |
|---|---|--|---|--|--------------------------------|--------------------|--|
| REPORTED CASES OF SELECTED DISEASES* | Note: Death rates (neonatal, and Perinatal and | (except in d postneom d fetal de | nfant) are natal death eath rates | per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2 | Infant, e births. s plus | | |
| Disease Number Campylobacter Enteritis 29 Giardiasis 36 Hepatitis Type A 0 | Crude Death Ra | ate | 1,247 772 | Selected Underlying Cause Heart Disease (total) Ischemic heart diseas | 305 | Rate 189 103 | |
| Hepatitis Type A 0 Hepatitis Type B** 9 Hepatitis NANB/C 71 Legionnaire's 0 | 1-4 | Deaths 1 2 | | Cancer (total) Trachea/Bronchus/Lung | 291 76 | 180 47 14 | |
| Lyme 7 Measles 0 Meningitis, Aseptic 5 | | 8 26 115 | | Colorectal Female Breast Cerebrovascular Diseas Lower Resp. Disease | e 75 59 | .* 46 37 | |
| Meningitis, Racterial 0 Mumps 0 Pertussis 270 | 55-64 65-74 | 101 197 350 | 667 | Pneumonia & Influenza Accidents Motor vehicle | 37 74 | 23 46 15 | |
| Salmonellosis 22 Shigellosis <5 Tuberculosis 0 | 85+ | 438 | 13,350 | Diabetes Infect./Parasitic Dis. Suicide | | 4.0 | |
| * 2004 provisional data. ** Includes all positive HBsAg | Infant Mortality Total Infant | Deaths 9 | Rate | * Based on female popu | | · | |
| test results. | Total Infant Neonatal Postneonatal Unknown | 8 1 | | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH | | | |
| Sexually Transmitted Disease | OHRHOWH | • | • | Alcohol | 25 | 15 | |
| Chlamydia Trachomatis 302 | Race of Mother | | | Alcohol Tobacco Use | 254 | 157 | |
| Genital Herpes 139 | White | 8 | • | Other Drugs | 16 | | |
| Gonorrhea 64 | Black | 1 | • | | | | |
| Syphilis 0 | Hispanic | | • | | | | |
| | Laotian/Hmong | • | • | MOTOR VEHICL | E CRASHES | | |
| | Other/Unknown | | • | Note: These data are b | acad on 1 | oostion | |
| IMMUNIZATIONS | Birthweight | 6 | | Note: These data are based on location of crash, not on residence. | | | |
| Children in Grades K-12 by | <1,500 gm 1,500-2,499 gm | 1 | • | Type of Motor | Persons | Persons | |
| Compliance Level | 2.500+ gm | 2 | • | Vehicle Crash | Injured | Killed | |
| Compliant 26.432 | 2,500+ gm Unknown | _ | <u>.</u> | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | 1.682 | 25 | |
| Compliant 26,432 Non-compliant 175 Percent Compliant 99.3 | Perinatal | • | • | With Ottobio | | | |
| ' | Mortality | Deaths | Rate | For OWI | 111 | 2 | |
| | Total Perinatal | 16 | | For Speeding | 82 | 0 | |
| | Neonatal | 8 | | Motorcyclist | 57 | 0 | |
| | Total Perinatal Neonatal Fetal | 8 | • | For OWI For Speeding Motorcyclist Bicyclist Pedestrian | 52 | 2 | |
| | [| | | Pedestrian | 28 | 3 | |

| DISEASE / | | Per 1,000 | Average Stay | | Charge Per | DISEASE / | | Per 1,000 | Average Stay | Average | Charge Per |
|----------------|------------|--------------|-----------------|----------------|---------------|--------------------------|------------|--------------|-----------------|-----------|------------------|
| AGE GROUP | Number | Рор | (Days) | Charge | Capita | AGE GROUP | Number | Рор | (Days) | Charge | Capita |
| Injury-Related | : All | | | | | Alcohol-Related | d | | | | |
| Total | 1,231 | 7.6 | 4.7 | \$17,279 | \$132 | Total | 339 | 2.1 | 2.5 | \$4,402 | \$9 |
| <18 | 97 | 2.6 | 5.1 | \$24,187 | \$64 | 18-44 | 159 | 2.4 | 2.2 | \$3,446 | \$8 |
| 18-44 | 323 | 4.9 | 4.2 | \$16,270 | \$80 | 45-64 | 158 | 4.1 | 2.7 | \$5,125 | \$21 |
| 45-64 | 292 | 7.5 | 4.7 | | \$140 | Pneumonia and | | | | +-, | Ψ |
| 65+ | 519 | 25.8 | 5.0 | \$15,861 | \$410 | Total | 524 | 3.2 | 4.7 | \$11,213 | \$36 |
| Injury: Hip | | 20.0 | 0.0 | φ10,001 | ΨΠΟ | <18 | 54 | 1.5 | 3.3 | \$6,978 | \$10 |
| Total | 155 | 1.0 | 5.8 | \$19,151 | \$18 | 45-64 | 82 | 2.1 | | \$12,151 | \$26 |
| 65+ | 144 | 7.2 | 5.7 | \$18,901 | \$135 | 65+ | 351 | 17.5 | 5.0 | \$11,594 | \$203 |
| Injury: Pois | | , | 0.7 | Ψ10,001 | Ψ100 | Cerebrovascula | | 17.0 | 0.0 | Ψ11,004 | Ψ200 |
| Total | 104 | 0.6 | 1.8 | \$6,042 | \$4 | Total | 378 | 2.3 | 3.9 | \$14,305 | \$33 |
| 18-44 | 63 | 1.0 | 1.5 | \$4,971 | \$5 | 45-64 | 64 | 1.6 | 4.3 | \$21,740 | \$36 |
| 10-44 | 00 | 1.0 | 1.5 | Ψ+, 57 1 | ΨΟ | 65+ | 298 | 14.8 | 3.8 | \$12,797 | \$190 |
| Psychiatric | | | | | | Chronic Obstruc | | | | Ψ12,737 | Ψ130 |
| Total | 1,203 | 7.5 | 5.9 | \$5,243 | \$39 | Total | 243 | 1.5 | 3.6 | \$8,061 | \$12 |
| <18 | 218 | 5.9 | 5.6 | \$4,941 | \$29 | | | 0.9 | 2.2 | \$3,844 | \$4 |
| 18-44 | 615 | 9.3 | 6.4 | \$5,434 | \$51 | <18 18-44 45-64 | 29 | 0.4 | 2.2 | \$6,135 | \$3 |
| 45-64 | 274 | 7.1 | 5.0 | \$4,532 | \$32 | 10-44 | 58 | 1.5 | 3.6 | \$8,295 | \$12 |
| 65+ | 274 96 | 4.8 | 6.1 | \$6,726 | \$32 \$32 | 65+ | 122 | 6.1 | 4.3 | \$9,584 | \$58 |
| 05+ | 90 | 4.0 | 0.1 | \$0,720 | φυΖ | Drug-Related | 122 | 0.1 | 4.5 | φ9,564 | φυσ |
| Coronary Heart | Diccocc | | | | | Total | 81 | 0.5 | 6.5 | \$6,248 | \$3 |
| Total | 769 | 4.8 | 3 2 | \$27,785 | \$132 | 18-44 | 42 | 0.6 | 3.5 | \$3,810 | \$3 \$2 |
| 45-64 | 709 296 | 7.6 | 2.2 | \$28,597 | \$218 | 10-44 | 42 | 0.0 | 3.5 | φ5,610 | φ ∠ |
| 45-04 65+ | 435 | 21.6 | | \$20,597 | \$595 | Total Hospital: | izotiono | | | | |
| 05+ | 433 | 21.0 | 3.5 | φ27,300 | დემე | | | 102.5 | 2 0 | \$11,215 | ¢1 140 |
| Malignant Neop | loomo (Cor | | A 1 1 | | | 10tar <18 | 16,549 | 80.4 | 3.8 | Φ11,210 | \$1,149 \$450 |
| | | | | #01 100 | Ф 70 | | 2,953 | | | \$5,590 | |
| Total | 548 | 3.4 | 6.0 | \$21,122 | \$72 | 18-44 | 4,432 | 67.4 | 3.1 | \$7,375 | \$497 |
| 18-44 | 42 | 0.6 | 4.9 | \$19,251 | \$12 | 45-64 | 3,431 | 88.3 | 4.0 | \$15,008 | \$1,325 |
| 45-64 | 191 | 4.9 | 5.7 | \$22,379 | \$110 | 65+ | 5,733 | 285.3 | 4.6 | \$14,811 | \$4,226 |
| 65+ | 306 | 15.2 | 6.3 | \$19,998 | \$305 | D. | DEVENTABLE | HOODTT | | ONO+ | |
| Neoplasms: F | | | | | | PI | | | | | |
| Total | 22 | 0.3 | 2.8 | \$12,038 | \$3 | Total | 1,841 | 11.4 | | \$10,157 | \$116 |
| Neoplasms: C | | L | 6 4 | 004 404 | 440 | <18 | 246 | 6.7 | 2.2 | \$5,449 | \$37 |
| Total | 65 | 0.4 | | \$24,101 | \$10 | 18-44 | 191 | 2.9 | 2.8 | \$8,789 | \$26 |
| 65+ | 45 | 2.2 | 9.2 | \$25,895 | \$58 | 45-64 | 339 | 8.7 | 3.9 | \$10,644 | \$93 |
| Neoplasms: L | | | 6 4 | 440 050 | φ= | 65+ | 1,065 | 53.0 | 4.3 | \$11,335 | \$601 |
| Total | 61 | 0.4 | 6.1 | \$19,656 | \$7 | | | | | | |
| Diabetes | | | | | | * Hospitalization: | s for cond | itions | where t | imely and | effectiv |
| Total | 138 | 0.9 | 4.3 | \$13,568 | \$12 | ambulatory care ca | an reduce | the lik | kelihood | of hospi | talizati |
| 65+ | 59 | 2.9 | | \$13,714 | \$40 | , | | | | | |